

User Macro: Create Below Page

Purpose

This create a Confluence button that starts a Page creation below a specified space/page combination(that must be valid).

An alternative to the standard "Create" button that always creates below the current page.

Details

| | | | | | | | | | | | |
|--------------------------|---|--|--|---|---------------|---|---------|---|------------|---|----------|
| Macro Name | create-below-page | | | | | | | | | | |
| Macro-Title | Create Page below Parent | | | | | | | | | | |
| Description | This Macro creates a button that initiates a new Page creation under a specific existing Page | | | | | | | | | | |
| Categories | Confluence Content | | | | | | | | | | |
| Documentation URL | http://www.mos-eisley.dk/x/EIDzAg | | | | | | | | | | |
| Definition of User Macro | <table><tr><td>✓</td><td>No macro body</td></tr><tr><td>✗</td><td>Escaped</td></tr><tr><td>✗</td><td>Unrendered</td></tr><tr><td>✗</td><td>Rendered</td></tr></table> | | | ✓ | No macro body | ✗ | Escaped | ✗ | Unrendered | ✗ | Rendered |
| ✓ | No macro body | | | | | | | | | | |
| ✗ | Escaped | | | | | | | | | | |
| ✗ | Unrendered | | | | | | | | | | |
| ✗ | Rendered | | | | | | | | | | |

In [Custom HTML](#), the button can be styled as:

```
.ui-button-below-page {  
padding: 0px !important;  
padding-left: 5px !important;  
width: 20px !important;  
height: 20px !important; }
```

Macro Code

```

## @param pagetitle:title=Page Title|type=string|required=true|desc=
## @param spacekey:title=Space Key|type=string|required=false|desc=
## @param buttontitle:title=Button Title|type=string|required=false|desc=
## @param buttonhelptext:title=Button Helptext|type=string|required=false|desc=
## @param buttoncolor:title=Button color|type=string|required=false|desc=
## @param buttontextcolor:title=Button Textcolor|type=string|required=false|desc=

#set ($pageManager=$action.getPageManager())

#if (${paramspacekey})
#set($spacekey=${paramspacekey})
#else
#set($spacekey=$renderContext.getOriginalContext().getSpaceKey())
#end

#set($pageid=$pageManager.getPage($spacekey,"${parampagetitle}").getId())
#if (${parambuttontitle} == "")
#set($buttontitle="Create Content")
#else
#set($buttontitle=${parambuttontitle})
#end

#if ($pageid)
<a href="/pages/createpage.action?spaceKey=${spacekey}&fromPageId=$pageid" class="#header aui-button aui-style
aui-button-primary aui-nav-imagelink aui-button-below-page" style="background: ${parambuttoncolor}; color:
${parambuttontextcolor};" title="${parambuttonhelptext}">${buttontitle}</a>
#else
<a href="Javascript:;" title="Error in create-below-page macro: Space/page does not exist"><font
color=red>ERROR</font></a>
#end

```