

Footer Macro sample

This is the look of my footer on all pages:

Things that make You go 'uhmm':			splunk> Confluence Apple
Information	Links	Social Likes	Scan
Normann. P. Nielsen Kærhavegårdvej 145 9270 Klarup 🌐 Tlf: +45 25277268 E-Mail: bnp@mos-elsley.dk	Norad.dk Stelbo.dk Star Reptiles Forum urbandictionary.com Version 2	 Synes godt om 0 	

This is all placed in a [Macro](#) called "me-footer" as maintaining it in a macro so editing is easier than in a layout. The Macro is placed in the [Global Layouts](#), as the footer should be on all pages:

<ul style="list-style-type: none">Global PermissionsSpace PermissionsUser DirectoriesLook and FeelThemesColour SchemeLayoutsStylebook	<pre>border-width: 0px !important; border-style: 0px solid !important; } </style> \$helper.renderConfluenceMacro("{related-content:showSpace=false showLabels=false max=10}") \$helper.renderConfluenceMacro("{me-footer}") #end #menuMacros__renderBrowseMenu()</pre>
--	--

And the macrocode is:

```

## @noparams
<script type="text/javascript">
AJS.toInit(function () {
    jQuery('a#khvg145').fancybox({
        'width'      : '100%',
        'height'     : '100%',
        'speedIn'    :      600,
        'speedOut'   :      200,
        'overlayShow' :      false
    });
});
</script>
<link href='http://fonts.googleapis.com/css?family=Iceland' rel='stylesheet' type='text/css'>
<style>
.block-title
{
font-family: 'Iceland', cursive;
font-weight: normal;
font-size: 28px;
line-height: 24px;
margin-bottom: 4px;
color: white;
}
</style>
<table class="mosfooter">
<tr>
<td colspan=3 align=left bgcolor=#f0f0f0>
<b>Things that make You go 'uhmm': </b>
</td>
<td colspan=4 align=right bgcolor=#f0f0f0>
<a href="http://www.splunk.com/?ac=partner_netic" target="_new">splunk</a>&nbsp;&nbsp;&nbsp;<a href="http://www.atlassian.com/software/confluence/" target="_new">Confluence</a>&nbsp;&nbsp;&nbsp;<a href="http://www.apple.dk" target="_new">Apple</a>
</td>
</tr>
<tr>
<td width=10% valign=top><font class="block-title">Information</font></td>
<td width=10% valign=top><font class="block-title">Links</font></td>
<td width=10% valign=top><font class="block-title">Social Likes</font></td>
<td width=10% valign=top><font class="block-title">Scan</font></td>
</tr>
<tr>
<td valign=top><font color=white>Normann. P. Nielsen<br>K rhaveg rdvej 145<br>9270 Klarup
<a id="khvg145" href="http://maps.googleapis.com/maps/api/staticmap?center=K rhaveg rdvej+145,9270+Klarup&zoom=14&size=900x900&sensor=true&motype=hybrid&markers=color:blue%7Clabel:K rhaveg rdvej 145, 9270 Klarup|K rhaveg rdvej 145, 9270 Klarup" rel="lightbox" title="Adresse: K rhaveg rdvej 145, 9270 Klarup"></a>
<br>Tlf: +45 25277268<br>E-Mail: bnp@mos-eisley.dk</font></td>
<td valign=top>
<a href="http://www.norad.dk" target="_blank"><font color=white>Norad.dk</a><br>
<a href="http://www.stelbo.dk" target="_blank"><font color=white>Stelbo.dk</a><br>
<a href="http://www.star-reptiles.dk/forum" target="_blank"><font color=white>Star Reptiles Forum</a><br>
<a href="http://www.urbandictionary.com/" target="_blank"><font color=white>urbandictionary.com</a><br>
<a href="http://www.version2.dk" target="_blank"><font color=white>Version 2</a>
</font></td>
</tr>
<script language="JavaScript" type="text/javascript">
{
    document.write('<iframe src="http://www.facebook.com/plugins/like.php?href='+location.href+'&layout=button_count" frameborder="0" scrolling="no" width="100%" height="62px" allowtransparency="true" style="height: 62px; width: 100%;"></iframe>');
}
// ]]></script>

<!-- Place this tag where you want the +1 button to render -->
<div class="g-plusone" data-annotation="inline" data-width="120"></div>
<!-- Place this render call where appropriate -->
<script type="text/javascript">
(function() {
    var po = document.createElement('script'); po.type = 'text/javascript'; po.async = true;
    po.src = 'https://apis.google.com/js/plusone.js';
    var s = document.getElementsByTagName('script')[0]; s.parentNode.insertBefore(po, s);
})();
</script>
</td>
<td valign=top >

</td>
</tr>
</table>

```

